

Histone H4 (Mono Methyl Arg3) Polyclonal Antibody

Cat No: HR1AP2363

For research use only

Overview

Product Name	Histone H4 (Mono Methyl Arg3) Polyclonal Antibody
Source	Mouse
Applications	WB
Species Reactivity	Human
Recommended Dilutions	
Immunogen	
Species	Mouse
Storage	-20°C/1 year
Isotype	
Clonality	
Concentration	
Observed band	14kDa
GeneID?Human?	HIST1H4A
Human Swiss-Prot No.	
Cellular localization	
Alternative Names	HIST1H4A; H4/A; H4FA; HIST1H4B; H4/I; H4FI; HIST1H4C; H4/G; H4FG; HIST1H4D; H4/B; H4FB; HIST1H4E; H4/J; H4FJ; HIST1H4F; H4/C; H4FC; HIST1H4H; H4/H; H4FH; HIST1H4I; H4/M; H4FM; HIST1H4J; H4/E; H4FE; HI
Background	histone cluster 1 H4 family member i(HIST1H4I) Homo sapiens Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Two molecules of each of the four core histones (H2A, H2B, H3, and H4) form an octamer, around which approximately 146 bp of DNA is wrapped in repeating units, called nucleosomes. The linker histone, H1, interacts with linker DNA between nucleosomes and functions in the compaction of chromatin into higher order structures. This gene is intronless and encodes a replication-dependent histone that is a member of the histone H4 family. Transcripts from this gene lack polyA tails but instead contain a palindromic termination element. This gene is found in the histone microcluster on chromosome 6p21.33. [provided by RefSeq, Aug 2015],