

S-Tag Mouse mAb

Cat No: HR1AM2127

For research use only

Overview

Product Name	S-Tag Mouse mAb
Source	Mouse
Applications	WB
Species Reactivity	N/A
Recommended Dilutions	WB 1:5,000
Immunogen	
Species	Mouse
Storage	PBS with 0.02% sodium azide and 50% glycerol pH 7.4. Store at -20°C. Avoid repeated freeze-thaw cycles.
Isotype	IgG1
Clonality	Monoclonal
Concentration	1mg/ml
Observed band	N/AkDa
GeneID?Human?	N/A
Human Swiss-Prot No.	
Cellular localization	
Alternative Names	N/A
Background	S-tag is the name of an oligopeptide derived from pancreatic ribonuclease A (RNase A). If RNase A is digested with subtilisin, a single peptide bond is cleaved, but the resulting two products remain weakly bound to each other and the protein, called ribonuclease S, remains active although each of the two products alone shows no enzymatic activity. The N-terminus of the original RNase A, also called S-peptide, consists of 20 amino acid residues, of which only the first 15 are required for ribonuclease activity. This 15 amino acids long peptide is called S15 or S-tag. The amino acid sequence of the S-tag is: KETAAAKFERQHMS conjugated to KLH. S- Tag antibody can recognize C-terminal, internal, and N-terminal S-tagged proteins.