

GSTM2 Polyclonal Antibody

Cat No: HR1AP13017

For research use only

Overview

| | |
|-----------------------|---|
| Product Name | GSTM2 Polyclonal Antibody |
| Source | Rabbit |
| Applications | WB,ELISA |
| Species Reactivity | Human |
| Recommended Dilutions | |
| Immunogen | |
| Species | Rabbit |
| Storage | -20°C/1 year |
| Isotype | |
| Clonality | |
| Concentration | 1 mg/ml |
| Observed band | 23kDa |
| GeneID?Human? | GSTM2 GST4 |
| Human Swiss-Prot No. | |
| Cellular localization | |
| Alternative Names | |
| Background | <p>glutathione S-transferase mu 2(GSTM2) Homo sapiens Cytosolic and membrane-bound forms of glutathione S-transferase are encoded by two distinct supergene families. At present, eight distinct classes of the soluble cytoplasmic mammalian glutathione S-transferases have been identified: alpha, kappa, mu, omega, pi, sigma, theta and zeta. This gene encodes a glutathione S-transferase that belongs to the mu class. The mu class of enzymes functions in the detoxification of electrophilic compounds, including carcinogens, therapeutic drugs, environmental toxins and products of oxidative stress, by conjugation with glutathione. The genes encoding the mu class of enzymes are organized in a gene cluster on chromosome 1p13.3 and are known to be highly polymorphic. These genetic variations can change an individual's susceptibility to carcinogens and toxins as well as affect the toxicity and efficacy of certain drugs. [provided by RefSeq, Jul 2008],</p> |