

## Recombinant Human CK1 epsilon (N-GST tag)

Cat No:HR2R1276

For research use only

## Overview

Quantity	10 ?g
Gene Symbol	CK1e
Gene ID	N/A
Accession	NM_001894
Alternative Name	CSNK1E, HCKIE, MGC10398, CK1E
Species	Human
Source	Insect cells
Description	CK1e is a member of the CK1 family of serine/threonine protein kinases which play an important role in diverse cell processes, including DNA replication and repair. CK1e is a regulator of Yes-associated protein (YAP) transcription coactivator which is a key regulator of organ size and a candidate human oncogene. CK1e is activated by CCK2R and this then phosphorylates PKD2 at Ser244. Phosphorylation of PKD2 leads to its nuclear accumulation and efficient phosphorylation of nuclear PKD2 substrates in human gastric cancer cells . CKle can phosphorylate topoisomerase (topo) IIalpha at serine-1106 and this regulates the enzyme activity and sensitivity to topo II-targeted drugs .
Functions	The specific activity of CK1e was determined to be 46 nmol /min/mg as per activity assay protocol.
Formulation	50mM Tris-HCl, pH 7.5, 150mM NaCl, 10mM glutathione, 0.1mM EDTA, 0.25mM DTT, 0.1mM PMSF, 25% glycerol.
Solubility	N/A
Appearance	Liquid
Molecular Weight	72
Purity	70% - 90%
Concentration	
Shipping Condition	Dry Ice
Storage Condition	Store product at ?70?C. For optimal storage, aliquot target into smaller quantities after centrifugation and store at recommended temperature. For most favorable performance, avoid repeated handling and multiple freeze/thaw cycles.