

Recombinant Human IL21

Cat No:HR2R1581

For research use only

Overview

Quantity	10 x 10 ?g (Z100495 x 10)
Gene Symbol	IL21
Gene ID	59067
Accession	Q9HBE4
Alternative Name	IL-21, Za11 Recombinant Human Interleukin-21 (IL21)
Species	Human
Source	E. coli
Description	IL-21 stimulates proliferation of B cell stimulated by crosslinking of the CD40 antigen. It inhibits proliferation stimulated by IL-4 plus anti-IgM. IL-21 augments stimulation of the proliferation of naive CD45RA(+) but not memory CD45R0(+) T cells mediated by engagement of CD3. IL-21 stimulates the proliferation of bone marrow progenitor cells and the expression of the natural killer cell marker CD56 in the presence of IL-15. The Interleukin-21 receptor is closely related to human IL-2 beta receptor. The receptor contains a WSXWS motif in the extracellular region, typical of type 1 cytokine receptors. The receptor is expressed on natural killer cells, T cells, and B cell line. The functional signaling complex activates Janus kinases JAK1, JAK3, and the STAT proteins STAT1, and STAT3.
Functions	The ED(50) was determined by the dose-dependent proliferation of activated B Cells.
Formulation	Recombinant Interleukin-21 was lyophilized from a 0.2 ?m filtered PBS solution pH 7.5.
Solubility	A quick spin of the vial followed by reconstitution in distilled water to a concentration not less than 0.1 mg/mL. This solution can then be diluted into other buffers.
Appearance	Lyophilized Powder
Molecular Weight	15
Purity	>95% as determined by SDS-PAGE
Concentration	< 1.0 EU/?g of recombinant protein as determined by the LAL method.
Shipping Condition	Ambient Temperature
Storage Condition	The lyophilized protein is stable for at least one year from date of receipt at -70?C. Upon reconstitution, this cytokine can be stored in working aliquots at 2? - 8?C for one month, or at -20?C for six months, with a carrier protein without detectable loss of activity. Avoid repeated freeze/thaw cycles.